

## Nanocable 10.03.0407 laptop dock & poortreplicator Bedraad USB 3.2 Gen 1 (3.1 Gen 1) Type-A Grijs

**Merk :** Nanocable

**Artikelcode:** 10.03.0407

**Productnaam :** 10.03.0407

Nanocable 10.03.0407. Connectiviteitstechnologie: Bedraad, Hostinterface: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Kleur van het product: Grijs, Materiaal behuizing: Aluminium. Lengte stroomkabel: 0,15 m. Ondersteunt Windows: Windows 10, Windows 7, Windows 8, Windows 8.1, Ondersteunt Mac-besturingssysteem: Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac...



Poorten & interfaces		Energie	
Connectiviteitstechnologie *	Bedraad	Lengte stroomkabel	0,15 m
Hostinterface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Software	
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	3	Ondersteunt Windows	Windows 10, Windows 7, Windows 8, Windows 8.1
Microfoon, line-in ingang *	✗		Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tijger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Netwerk		Ondersteunt Mac-besturingssysteem	
Ethernet LAN *	✓	Gewicht en omvang	
Aantal Ethernet LAN (RJ-45)-poorten	1	Breedte	25 mm
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Diepte	87 mm
Netwerkstandaard	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Hoogte	14 mm
Prestatie		Verpakking	
Geïntegreerde geheugenkaartlezer *	✗	Aantal per verpakking	1 stuk(s)
Kleur van het product *	Grijs	Breedte verpakking	90 mm
LED-indicatoren	✓	Diepte verpakking	22 mm
Materiaal behuizing	Aluminium	Hoogte verpakking	165 mm
		Gewicht verpakking	61 g

## Technische details

Certificaten van naleving

RoHS



8433281011465

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.